

Lawn Mowers

It's easy to see why Honda lawn mowers are so popular. Our complete lineup of competitively priced 21" walk behind mowers delivers unsurpassed quality, reliability, and smart features. Honda's great lineup includes the commercial HRC series, our best-in-class HRX series, the popular HRR series, and the easy-to-use HRS series. With the most complete lineup of walk behind mowers in the industry, you are sure to meet and exceed the needs of all your mowing customers.



HRC216

Specifications

Type (K3)	PDA	HXA	HDA
MSRP	\$749	\$1,249	\$1,149
Engine Model	GSV160	GXV160	GXV160
Displacement	161 cc	163 cc	163 cc
Starter	Recoil	Recoil	Recoil
Blade Control	Flywheel Brake	Roto-Stop [®] BSS	Flywheel Brake
Fuel Tank Capacity	0.25 gal	0.37 gal	0.37 gal
Transmission	Push	Hydrostatic	Hydrostatic
Self-Propelled Speeds	N/A	2.1 to 4.0 mph	2.1 to 4.0 mph
Deck Type	16 Gauge Steel	16 Gauge Steel	16 Gauge Steel
Cutting Width	21 in	21 in	21 in
Eight Cutting Heights	3/4 ~ 4 in	3/4 ~ 4 in	3/4 ~ 4 in
Bagging	2.5 Bushel	2.5 Bushel	2.5 Bushel
Mulching	Standard	Standard	Standard
Discharge	Optional Side Chute	Optional Side Chute	Optional Side Chute
Blade	Standard Twin MicroCut [®] Blades	Standard Twin MicroCut [®] Blades	Standard Twin MicroCut [®] Blades
Drive System	N/A	Shaft	Shaft
Wheels	9" NeXite [®] , Ball Bearing Supported	9" NeXite [®] , Ball Bearing Supported	9" NeXite [®] , Ball Bearing Supported
Dry Weight	99 lb	123 lb	117 lb



Optional Accessories

- Spark Arrester
- Rear Mount Discharge Chute
- Storage Cover

Simple

- **Hydrostatic Transmission** (HXA, HDA) – Infinitely variable speeds up to 4.0 mph. Durable transmission allows you to simply change and maintain ground speed to match mowing conditions.

Money Saving

- **Honda's Commercial GSV and GXV Engines** are fuel efficient and reliable over the long run.

Adaptable

- **8 Cutting Heights Ranging from 3/4"– 4"** – Set cutting height according to lawn conditions. Suitable for all grass types

Reliable

- **21" Heavy-Duty Steel Mowing Deck** – Resists rust and corrosion, designed for superior mowing performance and daily commercial use.
- **Honda OHV/OHC Commercial-Grade Engine** (PDA) – Rugged GSV160 series offers excellent power-to-weight characteristics.
- **Honda OHV Commercial-Grade Engine** (HXA, HDA) – Long life, powerful GXV160 series engine designed for superior reliability.
- **Shaft Drive** (HXA, HDA) – Heavy-duty automotive style shaft drive system means there's no belt to slip or wear out.
- **Deck Edge Guards** – Help protect deck from wear, damage, and scuffing.
- **Front Bumper** – Convenient tie down location, protects mower
- **NeXite[®] Wheels** – 9", Durable, lightweight, precision sealed ball-bearing supported
- **Heavy duty 1 inch handlebar with supports** – Strong, rigid, and long lasting

Time Saving

- **MicroCut[®] Twin Blades** – Superior bagging, mulching, and less time emptying the bag thanks to smaller clippings. Increased bag capacity and faster decomposition of mulched clippings
- **Honda Roto-Stop[®]** (HXA) Blade Stop System (BSS) – Start and stop blade with engine running.

Warranty

- **Residential** – 24 months
- **Commercial/Rental** – 24 months engine, 12 months other components

HRX217

Specifications

Type (K6)	VKA	VLA	VYA	HYA	HZA
MSRP	\$699	\$779	\$799	\$829	\$899
Engine Model: GCV200	•	•	•	•	•
Displacement: 201 cc	•	•	•	•	•
Starter: Recoil	•	•	•	•	•
: Electric		•			•
Blade Control: Roto-Stop® BSS			•	•	•
: Flywheel Brake	•	•			
Fuel Tank Capacity: 0.24 gal	•	•	•	•	•
Speed Control:					
: Select Drive® 0 to 4 mph	•	•	•		
: Hydrostatic Cruise Control 0 to 4 mph				•	•
Deck Type: NeXite®	•	•	•	•	•
Cutting Width: 21 in	•	•	•	•	•
Seven Cutting Heights: 3/4 ~ 4 in	•	•	•	•	•
Bagging: 2.5 Bushels	•	•	•	•	•
Clip Director®: 4-in-1	•	•	•	•	•
Rear Discharge	•	•	•	•	•
Blades: MicroCut®	•	•	•	•	•
Wheels: 9" Ball Bearing Supported	•	•	•	•	•
Dry Weight: 89 lb	•				
: 95 lb		•	•		
: 97 lb				•	
: 106 lb					•

Optional Accessories

- Spark Arrester
- Deck Edge Guard Kit
- Low dust grass bag
- Storage Cover
- 12 Volt Battery Charger (VLA, HZA)





VKA



VLA



VYA



HYA



HZA

Warranty

- **Residential** – 60 months
- **Commercial/Rental** – 3 months
- **NeXite Deck** - Limited Lifetime warranty (residential use only)

Simple

- **Variable Speed Select Drive®** – (VKA, VYA, VLA) Easily and continuously vary the mowing speed to match your stride with variable Select Drive lever and adjustable control dial.
- **Self-Charging Electric Start** – (HZA, VLA) Effortless key start. Battery will automatically charge while mowing.

Money Saving

- **4-in-1 Versamow System with Clip Director®** – Simply slide the Clip Director knob to mulch, bag, rear discharge, or shred, as well as anywhere in between without tools or costly attachments.
- **Honda's GCV200 Premium Residential OHV Engine** – Long engine life, fuel efficient, powerful

Adaptable

- **Hydrostatic Transmission** (HYA, HZA) – With Cruise control provides infinitely variable, self-propelled speed.
- **7 Cutting Heights Ranging from 3/4"– 4"** – Set cutting height according to lawn conditions.
- **EZ Fold Quick Release 3-Position Handle** – Easy height adjustment, storage, and transport

Reliable

- **21" Heavy-Duty NeXite® Mowing Deck** – Rust free and dent free mowing deck offers a limited lifetime warranty (residential use only).
- **Honda's GCV200 Premium Residential OHV Engine** – Easy start, improved engine combustion technology
- **9" Ball Bearing Supported Wheels**

Time Saving

- **Honda Roto-Stop®** (VYA, HYA, HZA) Blade Stop System (BSS) – Start and stop blade with the engine running.
- **Adjustable Throttle Control** (VYA, HYA, HZA) – Allows the user to move the throttle to idle while resting, transporting, or emptying the grass bag.
- **MicroCut®** Twin Blades – Superior bagging, mulching, and less time emptying the bag thanks to smaller clippings. Increased bag capacity and faster decomposition of mulched clippings.

HRR216

Specifications

Type (K10)	PKA	VKA	VYA	VLA
MSRP	\$439	\$479	\$579	\$579
Engine Model: GCV160	•	•	•	•
Displacement: 160 cc	•	•	•	•
Starter: Recoil	•	•	•	•
: Electric				•
Blade Control: Roto-Stop [®] BSS			•	
: Flywheel Brake	•	•		•
Fuel Tank Capacity: 0.25 gal	•	•	•	•
Speed Control: Smart Drive		•	•	•
: Push	•			
Self-Propelled Speed: 0 to 4 mph		•	•	•
Deck Type: 16 Gauge Steel	•	•	•	•
Cutting Width: 21 in	•	•	•	•
Six Cutting Heights: 1-1/8 ~ 4 in	•	•	•	•
Bagging: 1.9 Bushels	•	•	•	•
Mulching: Twin Blades	•	•	•	•
Clip Director [®] : 3-in-1	•	•	•	•
Discharge: Std Rear	•	•	•	•
Blade: MicroCut [®]	•	•	•	•
Drive System: Belt		•	•	•
Wheels: 8" Ball Bearing Supported Rear Wheels	•	•	•	•
Dry Weight: 75 lb	•			
: 81 lb		•		
: 90 lb				•
: 91 lb			•	

Optional Accessories

- Spark Arrester
- Storage Cover
- 12 Volt Battery Charger (VLA)



PKA



VKA



VYA



VLA



Warranty

- **Residential** – 36 months
- **Commercial/Rental** – 3 months

Simple

- **Variable Speed Smart Drive** – (VKA, VYA, VLA) Easily set mowing speed to your stride with adjustable control rotation.
- **Auto Choke System** – No engine choke required. Just pull and go!
- **Self-Charging Electric Start** – (VLA) Effortless key start. Battery will automatically charge while mowing.

Money Saving

- **3-in-1 Clip Director[®] System** – Simply slide the Clip Director knob to mulch, bag, or rear discharge. No tools or costly attachments
- **Honda's GCV160 Premium Residential OHC/OHV Engine** – Long engine life, fuel efficient, powerful, easy start

Adaptable

- **6 Cutting Heights Ranging from 1-1/8"– 4"** – Set cutting height according to lawn conditions.
- **EZ Fold Quick Release 2-Position Handle** – Easy height adjustment, storage, and transport

Reliable

- **21" Heavy-Duty Steel Mowing Deck**
- **Honda's GCV160 Premium Residential OHC/OHV Engine** – Easy start, legendary for providing years of service
- **8" Ball Bearing Supported Rear Wheels**

Time Saving

- **Honda Roto-Stop[®] (VYA) Blade Stop System (BSS)** – Start and stop blade with the engine running.
- **Adjustable Throttle Control** – (VYA) Allows the user to move the throttle to idle while resting, transporting, or emptying the grass bag.
- **MicroCut[®] Twin Blades** – Superior bagging, mulching, and less time emptying the bag thanks to smaller clippings. Increased bag capacity and faster decomposition of mulched clippings.

HRS216

Specifications

Type (K6)	PKA	VKA
MSRP	\$389	\$439
Engine Model	GCV160	GCV160
Displacement	160 cc	160 cc
Blade Control	Flywheel Brake	Flywheel Brake
Fuel Tank Capacity	0.25 gal	0.25 gal
Speed Control	Push	Smart Drive
Self-Propelled Speed	N/A	0 - 4.0 mph
Deck Type	16 Gauge Steel	16 Gauge Steel
Cutting Width	21 in	21 in
Six Cutting Heights	1-1/8 ~ 4.0 in	1-1/8 ~ 4.0 in
Bagging	N/A	N/A
Mulching	Single Blade	Single Blade
Discharge	Standard Side Chute	Standard Side Chute
Blade	Standard Single	Standard Single
Drive System	N/A	Belt
Wheels	8 in Ball-Bearing Rear Wheels	8 in Ball-Bearing Rear Wheels
Dry Weight	63 lb	71 lb

Optional Accessories

- Twin-Blade Mulching
- Spark Arrester
- Storage Cover



Simple

- **Variable Speed Smart Drive** – (VKA) Easily set mowing speed to your stride with adjustable control rotation.
- **Auto Choke System** – No engine choke required. Just pull and go!
- **Push Mower** – (PKA) Easy to maneuver, lightweight

Money Saving

- **Honda's Long Life GCV160 Premium Residential OHC/OHV Engine** – Fuel efficient, reliable, easy start

Adaptable

- **6 Cutting Heights Ranging from 1-1/8"– 4.0"**
 - Set cutting height according to lawn conditions.
- **EZ Fold Quick Release 2-Position Handle** – Easy height adjustment, storage, and transport

Reliable

- **21" Heavy-Duty Steel Mowing Deck**
- **Honda's GCV160 Premium Residential OHC/OHV Engine** – Easy start, legendary for providing years of service
- **8" Ball Bearing Supported Rear Wheels**

Time Saving

- **2-in-1 Mowing Versatility** – Quick and easy transition from mulching to standard side discharge

Warranty

- **Residential** – 36 months
- **Commercial/Rental** – 3 months

